

SPORT **OUTDOOR**

ACTIVE^{2.0}

ACTIVE ELEGANCE



Target group

Presbyopic recreationists

A progressive lens intended for sunglasses, with a frame curvature angle greater than 10° and a lens diameter greater than 70 mm, as well as larger base lens curves of 5.0 D.

Technology

Active 2.0 - IOT Endless Sport Progressive
IOT Endless Sport Progressive + Lentic

Method of production

The internal manufacturing of a progressive surface.

Diopters ordering

1/4, 1/8, 1/100

Individual parameters

IPD, PL, Vertex, Panto, Ztilt

Progressive length

16 mm, 18 mm

Available lens base curves

Bazne krivine 5.00, 6.00, 7.00, 8.00

Minimum fitting or installation height

18 mm, 20 mm

Optimization

Special thinning for the lens in the plus range based on the shape of the frame and the parameter for fitting the lens to the frame. If the lens is ordered without the Optimization option, the topography of the lens will be decentered nasally in relation to the geometric center by 2.5 mm.

User Ratings

Vision – distance



Vision – near vision field



Spontaneous adaptation



Vision – medium distance



Comfort




Use of digital devices



Markings on the lenses

 engravings
 markers



MATERIALS

1.50 CR-39	1
1.53 Trivex	2
1.59 Poly	4
1.60 High Index	5
1.60 Tribrid	6
1.67 High Index	7
1.74 High Index	8

OPTIONS

None	W	Transitions GEN 8 Sapphire	F	Nupolar Gray	S
Remove 400	H	Transitions GEN 8 Amethyst	M	Nupolar Gray Light	L
Remove 420	R	Transitions GEN 8 Amber	A	Nupolar Green	E
Remove 420 Photomatic Brown	O	Transitions GEN 8 Emerald	E	Transitions XTRActive Polarised Gray	X
Remove 420 Photomatic Gray	U	Transitions XTRActive Brown	C	DriveWear	D
Transitions GEN 8 Brown	Z	Transitions XTRActive Gray	L		
Transitions GEN 8 Gray	N	Transitions XTRActive Green	K		
Transitions GEN 8 Green	V	Nupolar Brown	B		