



### Target group

An ideal solution for desktop computer users as well as the space around the desk. Age 45+.

*Note: The use of this type of lens in traffic is strictly prohibited.*

### Technology

OPTOTECH OFFICE 10

### Method of production

The internal manufacturing of the digressive surface.

### Diopters ordering

1/4

### Progressive length

18 mm

### Method of ordering

RX data for proximity diopter:  
 - Type A up to 50 years of age  
 - Type B over 50 years of age  
 Use pupillary distance for distance, preferably for each eye individually (IPD)


### Minimum fitting height

20 mm

### Optimization


Special thinning for the lens in the plus range based on the shape of the frame and the parameter for fitting the lens to the frame. If the lens is ordered without the Optimization option, the topography of the lens will be decentered nasally in relation to the geometric center by 2.5 mm.

### User ratings



### Markings on the lenses

engravings  
 markers



### MATERIALS

1.50 CR-39	1
1.53 Trivex	2
1.56 Mid. index	3
1.59 Poly	4
1.60 High Index	5
1.60 Tribid	6
1.67 High Index	7
1.74 High Index	8

### OPTIONS

None	W	Transitions GEN 8 Sapphire	F	Nupolar Gray	S
Remove 400	H	Transitions GEN 8 Amethyst	M	Nupolar Gray Light	L
Remove 420	R	Transitions GEN 8 Amber	A	Nupolar Green	E
Remove 420 Photomatic Brown	O	Transitions GEN 8 Emerald	E	Transitions XTRActive Polarised Gray	X
Remove 420 Photomatic Gray	U	Transitions XTRActive Brown	C	Photomatic Brown	B
Transitions GEN 8 Brown	Z	Transitions XTRActive Gray	L	Photomatic Gray	I
Transitions GEN 8 Gray	N	Transitions XTRActive Green	K	DriveWear	D
Transitions GEN 8 Green	V	Nupolar Brown	B		